MOTOREX Oil of Switzerland

Revision: 20,06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ATF DEXRON III
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Gear Oil

Only for proper handling.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

**MOTOREX AG** 

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 (UK only).

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms Void
- Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:	
CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13	25-50%

(Contd. on page 2)



Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

		(Contd. of page 1)
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	10-25%
CAS: 64742-55-8 EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic Asp. Tox. 1, H304	≥1-≤3%
CAS: 64742-65-0 EINECS: 265-169-7 Index number: 649-474-00-6 Reg.nr.: 01-2119471299-27	Distillates (petroleum), solvent-dewaxed heavy paraffinic Asp. Tox. 1, H304	≥0.25-≤2.5%
CAS: 1218787-32-6 EC number: 620-540-6	2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥0.1-<0.25%
CAS: 218141-16-3 EC number: 939-485-7 Reg.nr.: 01-2119974116-35	3-((C9-11-iso,C10-rich)alkyloxy)pro pan-1-amine Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302	≥0.025-≤0.1%

#### · Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove contaminated clothing immediately.

Remove residues with soap and water.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Consult a physician who will decide on need and method of emptying the stomach.

Do not induce vomitting. Do not take in resorption stimulating agents.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire carbon, sulphur and nitrogen oxides can be formed.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

MOTOREX\*
Oil of Switzerland

Revision: 20.06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 2)

#### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.

- · Information about fire and explosion protection: Do not heat above flash point.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·DNELs		
72623-87-	1 Lubricating oils (petroleum), C20-50, hydrotreate	ed neutral oil-based
Inhalative	DNEL / Workers / Local Effects / Long-term	5.4 mg/m3/8h (worker)
	DNEL/general population/Local effects/Long-term	1.2 mg/m3/24h (consumer)
64742-55-	8 Distillates (petroleum), hydrotreated light paraff	inic
Dermal	DNEL / Workers / Local Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL	2.7-5.4 mg/m3/8h (worker)
	DNEL	1.2 mg/m3/24h (consumer)
64742-55-	8 Distillates (petroleum), hydrotreated light paraffi	inic
Dermal	DNEL / Workers / Local Effects / Long-term	1 mg/kg/8h (worker)
Inhalative	DNEL	2.7-5.4 mg/m3/8h (worker)
	DNEL	1.2 mg/m3/24h (consumer)
64742-65-	ס Distillates (petroleum), solvent-dewaxed heavy ו	paraffinic
Inhalative	DNEL	5.4 mg/m3/8h (worker)
	DNEL	1.2 mg/m3/24h (consumer)
218141-16	6-3 3-((C9-11-iso,C10-rich)alkyloxy)pro pan-1-amin	e
Oral	DNEL/general population/Systemic effects/Long-term	0.25 mg/kg/24h (consumer)

(Contd. on page 4)

MOTOREX\*
Oil of Switzerland

Revision: 20,06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

				(Contd. of page 3
Derm	nal	DNEL / Workers / Systemic effects / Long	g-term	0.7 mg/kg/24h (worker)
		DNEL/general population/Systemic effec	ts/Long-term	0.25 mg/kg/24h (consumer)
Inhala	ative	DNEL / Workers / Systemic effects / Lon	g-term	4.9 mg/m3 (worker)
		DNEL/general population/Systemic effec	ts/Long-term	0.74 mg/m3 (consumer)
· PNE	Cs			
64742	<i>2-55</i> -	8 Distillates (petroleum), hydrotreated	light paraffii	nic
Oral	PNE	C / Predators / Secondary poisoning	9.33 mg/kg (predators))	g food (secondary poisoning
64742	2-55-	8 Distillates (petroleum), hydrotreated	light paraffii	nic
Oral	PNE	C / Predators / Secondary poisoning	9.33 mg/kg (predators))	g food (secondary poisoning
21814	41-16	6-3 3-((C9-11-iso,C10-rich)alkyloxy)pro	pan-1-amine	
	PNE	C / Aquatic organisms / Freshwater	0.00084 mg/	'l (aquatic organisms)
	PNE	C / Aquatic organisms / Marine water	0.000084 mg	g/l (aquatic organisms)
		EC/Aquatic org/intermittent ases(freshwater)	0.000827 mg	g/l (aquatic organisms)
		C/Aquatic organisms/Sewage treatment	1.3 mg/l (aqı	uatic organisms)
		EC / Aquatic organisms / Sediment hwater)	3.19 mg/kg (	aquatic organisms)
		C / Aquatic organisms / Sediment ine water)	0.32 mg/kg (	aquatic organisms)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

#### Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing

- GE



Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 4)

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidRed

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: >170 °C

Auto-ignition temperature: >260 °C (DIN 51794)
 Decomposition temperature: Not determined.
 pH Not determined.

Viscosity:

• Kinematic viscosity 39 mm²/s @ 40 °C

Consistency

· **Dynamic:** Not determined.

Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Heat Capacity

· Vapour pressure: Not determined.

Density and/or relative density

• **Density at 20 °C:** 0.857 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· **VOC (EC)** 0.00 %

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard

classes Void Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void

(Contd. on page 6)

Revision: 20.06.2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

		(Contd. of page 5
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	vant for classification:
72623-87-	1 Lubricat	ing oils (petroleum), C20-50, hydrotreated neutral oil-based
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOAEC	980 mg/m3 (rat)
	NOEC	220 mg/m3 (rat)
64742-55-	8 Distillate	es (petroleum), hydrotreated light paraffinic
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
		(Contd. on page 7)

MOTOREX Oil of Switzerland
Revision: 20.06.2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

			Contd. of page 6)
		es (petroleum), hydrotreated light paraffinic	
Oral	LD50	5,000 mg/kg (rat)	
	LOAEL	125 mg/kg/24h (rat)	
Dermal	LD50	2,000-5,000 mg/kg (rabbit)	
	NOAEL	150 mg/kg/24h (mouse)	
		30-2,000 mg/kg/24h (rat)	
		1,000 mg/kg/24h (rabbit)	
	LOAEL	100 mg/kg/24h (mouse)	
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)	
	NOEL	220 mg/m3 (rat)	
	NOAEL	980 mg/m3 (rat)	
64742-65-	0 Distillate	es (petroleum), solvent-dewaxed heavy paraffinic	
Oral	LD50	5,000 mg/kg (rat)	
	LOAEL	125 mg/kg/24h (rat)	
Dermal	LD50	2,000-5,000 mg/kg (rabbit)	
	NOAEL	150 mg/kg/24h (mouse)	
		30-2,000 mg/kg/24h (rat)	
		1,000 mg/kg/24h (rabbit)	
	LOAEL	100 mg/kg/24h (mouse)	
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)	
	NOEL	220 mg/m3 (rat)	
	NOAEL	980 mg/m3 (rat)	
218141-16	6-3 3-((C9-	11-iso,C10-rich)alkyloxy)pro pan-1-amine	
Oral	LD50	200-2,000 mg/kg (rat)	
	NOAEL	50 mg/kg/24h (rat)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

#### · 12.1 Toxicity

72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based  LL50	· Aquat	ic toxicity:
100 mg/l/96h (fish) LL50 10,000 mg/l/72h (aquatic invertebrates) LL50 10,000 mg/l/48h (aquatic invertebrates)	72623·	87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
LL50 10,000 mg/l/72h (aquatic invertebrates) LL50 10,000 mg/l/48h (aquatic invertebrates)	LL50	10,000 mg/l/96h (aquatic invertebrates)
LL50 10,000 mg/l/48h (aquatic invertebrates)		100 mg/l/96h (fish)
	LL50	10,000 mg/l/72h (aquatic invertebrates)
LLEO 10,000 mg//Q4b (agustic investable)	LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50   10,000 mg//24n (aqualic invertebrates)	LL50	10,000 mg/l/24h (aquatic invertebrates)

(Contd. on page 8)

MOTOREX Oil of Switzerland Revision: 20.06.2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

	(Contd. of page	
EL50	10,000 mg/l/48h (aquatic invertebrates)	
	55-8 Distillates (petroleum), hydrotreated light paraffinic	
LL50	10,000 mg/l/96h (aquatic invertebrates)	
	100 mg/l/96h (fish)	
1150	>100 mg/l/96h (Pimephales promelas) (OECD 203)	
LL50	10,000 mg/l/72h (aquatic invertebrates)	
LL50	10,000 mg/l/48h (aquatic invertebrates)	
EL50	10,000 mg/l/48h (aquatic invertebrates)	
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)	
	55-8 Distillates (petroleum), hydrotreated light paraffinic	
LL50	10,000 mg/l/96h (aquatic invertebrates)	
	100 mg/l/96h (fish)	
1150	>100 mg/l/96h (Pimephales promelas) (OECD 203)	
LL50	10,000 mg/l/72h (aquatic invertebrates)	
LL50	10,000 mg/l/48h (aquatic invertebrates)	
EL50	10,000 mg/l/48h (aquatic invertebrates)	
NOEL	>100 mg/l/72h (Pseudokirchnerella subcapitata) (OECD 201)	
	65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic	
LL50	10,000 mg/l/96h (aquatic invertebrates)	
1150	100 mg/l/96h (fish)	
LL50	10,000 mg/l/72h (aquatic invertebrates)	
LL50	10,000 mg/l/48h (aquatic invertebrates)	
LL50	10,000 mg/l/24h (aquatic invertebrates)	
EL50	10,000 mg/l/48h (aquatic invertebrates) 87-32-6 2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	
LC50	0.1 mg/l/96h (fish)	
EC10	0.0107 mg/l/21d (Daphnia Magna)	
EC50	167 mg/l/3h (sediment)	
EC50	0.0538 mg/l/72h (Pseudokirchnerella subcapitata)	
EC50	0.043 mg/l/48h (Daphnia Magna)	
	0.0156 mg/l/72h (Pseudokirchnerella subcapitata)	
	I-16-3 3-((C9-11-iso,C10-rich)alkyloxy)pro pan-1-amine	
LC50	2.14-2.22 mg/l/96h (fish)	
LC0	1 mg/l/96h (fish)	
EC10	13 mg/l/3h (microorganisms)	
EC10	0.738-0.767 mg/l/21d (aquatic invertebrates)	
EC50	23.6 mg/l/3h (microorganisms)	
EC10	0.0421-0.0442 mg/l/72h (algae / cyanobacteria)	
EC50	0.0827-0.0868 mg/l/72h (algae / cyanobacteria)	
EC50	1.05-1.09 mg/l/21d (aquatic invertebrates)	
	12.5 mg/l/3h (microorganisms)	
	ersistence and degradability No further relevant information available.	
	ioaccumulative potential	
	55-8 Distillates (petroleum), hydrotreated light paraffinic	
	n coefficient   >3.5 [] (log Kow) (Bioaccumulation)	

Revision: 20.06.2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

	(Contd. of page 8)
64742-55-8 Distillates (petrol	leum), hydrotreated light paraffinic
Partition coefficient	>3.5 [] (log Kow) (Bioaccumulation)
64742-65-0 Distillates (petro	leum), solvent-dewaxed heavy paraffinic
Partition coefficient	>6 [] (log Kow) (Bioaccumulation)
1218787-32-6 2,2'-(C16-18 (e	vennumbered, C18 unsaturated) alkyl imino) diethanol
Partition coefficient	3.6 [] (log Kow) (Biodegradability)
Bioconcentration factor (BCF)	110.2 BCF (fish)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (according to Appendix 1 AWSV): significantly hazardous to water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport
14.2 UN proper shipping name ADR/RID/ADN, ADN, IMDG, IATA	Not classified as hazardous for transport
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Not classified as hazardous for transport
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.

Revision: 20.06.2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 9)

· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation": Not classified as hazardous for transport

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- purity requirement
- Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

MOTOREX\*
Oil of Switzerland
Revision: 20.06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 10)

#### Annex: Exposure scenario 1

#### · Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

#### Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

#### · Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

## Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

#### Annex: Exposure scenario 2

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

(Contd. on page 12)

MOTOREX\*
Oil of Switzerland
Revision: 20.06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 11)

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

· Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

### Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- · Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

(Contd. on page 13)

MOTOREX\*
Oil of Switzerland
Revision: 20.06,2023

Printing date 20.06.2023

Version number 5.0 (replaces version 4.1)

Trade name: ATF DEXRON III

(Contd. of page 12)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB